

GREENHOUSES

BY ELITE

ELITE GREENHOUSES LTD

**GREENHOUSES MADE SIMPLE
CHECK OUT OUR PACKAGE DEALS**

**I LOVE MY GREENHOUSE,
IT'S A PLACE WHERE I
FIND MYSELF WHEN I
NEED TO LOSE MYSELF**

**INTRODUCING THE
ZENITH, IT'S THE
BEST GREENHOUSE
WE MAKE**





HELLO

Elite Greenhouses have been leading the way from our factory in Bolton for more than 60 years and are the go-to brand for aluminium greenhouses in the UK and across the globe.

Our passion is greenhouses and we are as driven and enthusiastic today in delivering a high quality, durable and long-lasting product as we were when we started from humble beginnings in 1953.

GREENHOUSE DNA



GLASS

Elite use Grade A toughened glass to standard EN12150. Horticultural glass is also available.



ALUMINIUM

We only manufacture aluminium greenhouses, using the finest precision extrusion engineering.



POLYCARBONATE

6mm thick, UV treated, twin wall with silvered edges.



POWDER COATING

The frame is resistant to corrosion, UV degradation and offers a life expectancy in excess of 25 years. Available in nine attractive colours.



HIGH TENSILE NUTS AND BOLTS

Elite's bolts have been scientifically tested to be 2½ times stronger than standard aluminium bolts.



STAINLESS STEEL CLIPS

Stainless steel clips are used throughout which eradicate the fear of rust, warp and rot.



NEOPRENE BEADING

All glazing is cushioned in its own beading which has greater resistance to wind.



INJECTION MOULDING

The optional rainwater kit has been specifically designed to fit the Elite gutter perfectly and can be used on all Elite buildings.

The same family, the same traditions, the same quality

Since 1953, we've been making greenhouses at our factory in Bolton, Lancashire. We've spread out somewhat since our first greenhouse was manufactured and our expansive and modern factory complex is where we are proud to say every single Elite Greenhouse is made.

All our greenhouses have been designed by ourselves, are skilfully made with pride by our local workforce and the vast majority of them are delivered on our own fleet of vehicles and unloaded by hand by our team of friendly and helpful drivers.

We have the biggest range of aluminium greenhouses available today, finished in nine beautiful powder coated colours, and with the Titan range, offer one of the strongest greenhouses money can buy.

Owned by the same family since the beginning, over three generations, it is safe to say we certainly know a thing or two about greenhouses and are as passionate and enthusiastic about the products today as we were when the first greenhouse left the factory. The knowledge and experience we have gleaned over 60 years enables us to source the best materials, use the best processes and the outcome is a product of the highest quality, made here in the UK, backed by a 10 year guarantee which will provide endless hours of enjoyment and will stand proudly in your garden for a lifetime.



Please visit www.elite-greenhouses.co.uk





10



21



32



35



40



46



54



63



68



72



74



80




82



90



98



100






CONTENTS

CORE COLLECTION	8
4' 3" Wide Compact	10
4' 3" Wide Maxim	11
5' 3" Wide Streamline	12
5' 3" Wide Delta	13
6' 3" Wide Craftsman	14
6' 3" Wide High Eave	16
6' 3" Wide Strata	17
7' 5" Wide Vantage	18
8' 5" Wide Belmont	19
10' 5" Wide Supreme	20
12' 5" Wide Classique	21
Core Greenhouse Packages	22
GX COLLECTION	24
6' 3" Wide GX600	26
8' 5" Wide GX800	27
GX Greenhouse Packages	28
TITAN COLLECTION	30
6' 3" Wide Titan 600	34
7' 5" Wide Titan 700	36
8' 5" Wide Titan 800	38
10' 5" Wide Titan 1000	40
12' 5" Wide Titan 1200	42
Titan Greenhouse Packages	44
8' 5" Wide Zenith	48
STYLE PLUS PRACTICALITY	52
6' 3" Wide Featured Dwarf Wall	54
8' 5" Wide Feature Dwarf Wall	56
6' 3" Wide Thyme Glass To Ground	58
6' 3" Wide Thyme Dwarf Wall	60
8' 5" Wide Thyme Glass To Ground	62
8' 5" Wide Thyme Dwarf Wall	64
LEAN-TO COLLECTION	66
Cold Frame	68
2' 3" Wide EasyGrow	69
Windsor Lean-To Package	70
4' 4" Wide Windsor Lean-To	71
4' 4" Wide Kensington 4 Lean-To	72
6' 4" Wide Kensington 6 Lean-To	73
8' 5" Wide K800 Lean-To	76
BESPOKE DROP DOOR	78
R-Type Greenhouse	80
R-Type Lean-To	80
ACCESSORIES	82
INFORMATION	86
Glazing Material	88
Bar Capping	89
Powder Coating	90
Bases	94
Extensions	97
Construction	98
Delivery	99
TECHNICAL INFO	102



CORE COLLECTION

Included features:



POWDER COATED OPTIONS

GLAZING OPTIONS



Horticultural Glass
Toughened Safety Glass
6mm Twin Wall Polycarbonate

ESSENCE

Ranging from 4' all the way to 12' wide, in unlimited lengths, this collection includes many of our most popular designs, some of which have been grower's favourites for over 60 years.

These customisable greenhouses all come with a 10 year guarantee, have integrated gutters, include at least one roof vent and use high tensile nuts and bolts throughout. With the exception of the 10' Wide Supreme and 12' Wide Classique, all the models benefit from integrated bases with low threshold access and sliding door(s).

There are packages available on most models and why not go for a professional look and powder coat your new greenhouse in one of our nine beautiful coloured finishes.

Whether you are choosing a greenhouse for your allotment or a feature in your outdoor space, in this collection you will find an Elite which suits your taste and budget.

4'3" WIDE COMPACT

Unlimited lengths available



Compact 4'x4' (Nominal), Integral Base, Black, Full Sheet Toughened Glass, Package

If 4' wide is your chosen size, we offer the Compact and Maxim models which are ideal for courtyards, patios, roof terraces and urban living. For the taller owner or someone with aspirations for larger produce, the Maxim is the model for you with extra high eaves and door height included. Both offer great space for staging and shelves so there is no need for a small space to limit your enjoyment.



Compact 4'x4' (Nominal), Integral Base, Alloy Full Sheet Toughened Glass, Package



4'3" WIDE MAXIM

Unlimited lengths available

GARDEN
CENTRE
EXCLUSIVE

Maxim 6'x4' (Nominal), Integral Base, Graphite, Full Sheet Toughened Glass, Package

"We only have a small outdoor area but I wanted to buy a greenhouse for my husband's birthday. We were advised to go for the Maxim as my hubby is over 6' tall. He is delighted with it and I am amazed at how much he has managed to fit into it."

Sally, Winchester, Hants



Extra high doors and eaves height (customer is 6'2")



Streamline 6'x5' (Nominal), Integral Base, Olive, Full Sheet Toughened Glass

We offer two choices if 5' is your preferred building width. The Streamline has been a family favourite for over 20 years and the Delta provides 6' eaves height giving additional growing space which is ideal for taller plants like Dad's chillies! Both offer loads of room for practical things like shelves and staging therefore a 5' wide model no longer needs to be seen as a small greenhouse.



Streamline 8'x5' (Nominal), Integral Base, Alloy, Full Sheet Toughened Glass, Package



Delta 6'x5' (Nominal), Integral Base, Terracotta, Full Sheet Toughened Glass, Package


We really do mean "unlimited lengths" available



Delta 40'x5' (Nominal), Integral Base, Terracotta, Full Sheet Toughened Glass, Internal Partition



The Craftsman was the first 6' wide greenhouse we ever made and remains a favourite choice amongst buyers. It is a design which has stood the test of time and been enjoyed by generations of families over the last 60 years. Change is good but somethings should stay the same.



6'3" WIDE CRAFTSMAN

Unlimited lengths available

Craftsman 10'x6' (Nominal), Integral Base, Black, Full Sheet Toughened Glass, Staging & Shelving, Crestings & Finials

Change is good but somethings should stay the same.




6'3" WIDE HIGH EAVE

Unlimited lengths available

High Eave 8'x6' (Nominal), Integral Base, Berry, Full Sheet Toughened Glass, Staging & Shelving



High Eave 8'x6' (Nominal), Integral Base, Alloy, Full Sheet Toughened Glass, Package



6'3" WIDE STRATA

Unlimited lengths available

**GARDEN
CENTRE
EXCLUSIVE**

Strata 8'x6' (Nominal), Integral Base, Green, Full Sheet Toughened Glass, Package

The High Eave is the tallest single door greenhouse we manufacture. If you prefer a wider entrance to your greenhouse, then the double doors offered on the Strata makes this the 6' wide model for you. Both greenhouses have the same enormous eaves height offering huge amounts of space and a superb working environment for you and your produce.

"The wider double doors and the extra height were the reasons why we chose the Strata greenhouse. When myself and my wife are working in there at the same time there is lots of room and it certainly doesn't feel cramped."

Alan W, Southport, Merseyside



7'5" WIDE VANTAGE

Unlimited lengths available

Vantage 14'x7' (Nominal), Integral Base, Alloy, Full Sheet Toughened Glass, Internal Partition



The 7'5" wide Vantage with high double door opening invites you into a brilliant working area with room for storage, shelves, staging and a variety of crops which can flourish in such a comfortable environment.

Vantage 8'x7' (Nominal), Integral Base, Alloy, Full Sheet Toughened Glass, Package

8'5" WIDE BELMONT

Unlimited lengths available

The hugely popular Belmont, the first 8' 5" wide model we ever produced, remains as effective today as it was when it was first manufactured over 60 years ago. It provides a well-ventilated, healthy and large growing space for the gardener which is why this classic design has flourished. With optional upgrades such as double doors and partitions, this superb greenhouse is the mainstay in one of the most popular sizes purchased today.

**UPGRADE
TO DOUBLE
DOORS**



Belmont 14'x8' (Nominal), Integral Base, Green, Double Doors, Full Sheet Toughened Glass



For those who are lucky enough to have a large outdoor space, the 10' Supreme or 12' Classique greenhouse is certainly one to choose. Impressive, practical and substantial, these imposing structures provide a superb working space to lose yourself in your greenhouse.

Internal partitions are a popular choice on the larger models which create different climate zones with alternative growing conditions for plants or purely for your own comfort.

Supreme 20'x10' (Nominal), Brown, Full Sheet Toughened Glass, Brick Base, Crestings and Finials

10'5" WIDE SUPREME

Unlimited lengths available



Supreme 20'x10' (Nominal), Brown, Full Sheet Toughened Glass, Brick Base, Crestings and Finials




12'5" WIDE CLASSIQUE

Unlimited lengths available

Classique 16'x12' (Nominal), Green, Full Sheet Toughened Glass, Brick Base, Internal Partition



Extruded Shelf



Cantilever Braces



5 Blade Louvre

In addition to the included features these three items are also part of the Supreme and Classique.

"So glad we opted for the partition in our Classique greenhouse. I feel like my husband's got his section and I've got mine, so I can grow what I want without any interference."

Eileen, Goosnargh, Preston

As an optional extra, Elite offer an integral base with dropped doors on the Supreme and Classique. Alternatively you can build a brick base to the exact specification.

CORE GREENHOUSE PACKAGES

To simplify choosing your greenhouse, our packages group together the essential accessories you need to get the most out of your purchase and offer great value for money with just one price to pay. Follow the 4 easy steps to decide which of the Core Series models best suits your needs. The package contents are in conjunction with the core greenhouse's included features.

HORTICULTURAL GLASS AS STANDARD
You can upgrade to toughened safety glass.

Four
easy
steps

1
Choose the
model that best
suits your space
and needs

2
Decide how
long you want
it to be

3
Pick
your glass

4
Do you
want it powder
coated?



4'3" WIDE COMPACT



4'3" WIDE MAXIM



5'3" WIDE STREAMLINE



5'3" WIDE DELTA



6'3" WIDE CRAFTSMAN



6'3" WIDE HIGH EAVE



6'3" WIDE STRATA



7'5" WIDE VANTAGE



8'5" WIDE BELMONT



PACKAGE INCLUDES:

Automated 5 blade louvre
Automatic roof vent opener
Rainwater kit
Grow hooks
Slatted shelf to length
(No. of slats depends upon the greenhouse width)
Slatted staging to length
(No. of slats depends upon the greenhouse width)

OPTIONAL UPGRADES:




POWDER
COATED



TOUGHENED
SAFETY GLASS

GX COLLECTION

Included features:



Ground Level Access




Double Doors




Diamond Shelf



Two 5 Blade Louvres




Hanging Basket Rails




Double Roof Vent



Bar Capping




Door Lock




Integral Gutters



Cantilevers



Titan Bar



Door Handle



POWDER COATED
OPTIONS

GLAZING OPTIONS



4mm Toughened Safety Glass
6mm Twin Wall Polycarbonate

EYE-CATCHING

Enhance your outdoor space with a GX greenhouse. Available in just two width sizes, 6' and 8', the GX is packed with superb features as standard such as double roof vents, two side louvres, full length hanging basket rails and a diamond shelf.

Incredibly airy inside, thanks to the extra high eaves, double doors and the double roof vents, both the GX600 & GX800 include our Titan bar at the gable and door ends so are immensely strong.

The GX is built with flat cills, therefore no base is required.

Available in unlimited lengths and of course in any of our nine powder coated finishes these two professional models provide a brilliant and practical working space.


6'3" Wide GX600

Unlimited lengths available



8'5" Wide GX 800

Unlimited lengths available



GARDEN
CENTRE
EXCLUSIVE

GX800 12'x8' (nominal) Flat Cills, Alloy, Black Bar Capping, Full Sheet Toughened Glass, Staging & Shelving

Built with flat cills, no base is
required on the GX Collection

GARDEN
CENTRE
EXCLUSIVE

GX600 10'x6' (nominal) Flat Cills, Alloy,
Black Bar Capping, Full Sheet Toughened Glass

GX GREENHOUSE PACKAGES

To simplify choosing your greenhouse, our packages group together the essential accessories you need to get the most out of your purchase and offer great value for money with just one price to pay. Follow the 3 easy steps to decide which of the GX models best suits your needs. The package contents are in conjunction with the GX's included features.

TOUGHENED SAFETY GLASS AS STANDARD

Three
easy
steps

1
Choose the
model that best
suits your space
and needs

2
Decide how
long you want
it to be

3
Do you
want it
powder coated?

Toughened
Safety Glass
as standard



6'3" Wide GX600

"We both love our Elite GX800. There is loads of room inside for everything we have wanted to grow, especially now our little grandson has started growing his own too!"

Dr. A. Smedley,
Merthyr Tydfil



8'5" Wide GX800



PACKAGE INCLUDES:

- Two automatic louvre openers
- Bayliss MK7 automatic roof vent opener
- Rainwater kit
- Grow hooks
- Slatted shelf to length
(No. of slats depends upon the greenhouse width)
- Slatted staging to length
(No. of slats depends upon the greenhouse width)

OPTIONAL UPGRADES:




POWDER
COATED



TITAN COLLECTION

Included features:



Eaves Corner



Door Lock




Integral Base




Low Threshold



Canopy Seal



Roof Vent




10 Blade Louvre




High Tensile Nuts & Bolts




Integral Gutters



Bar Capping



PACKAGES
AVAILABLE
see page 44 for details



Cantilevers



POWDER COATED
OPTIONS

GLAZING OPTIONS



4mm Toughened Safety Glass
6mm Twin Wall Polycarbonate

STRENGTH

Superior strength is the DNA of The Titan Collection, an imposing group of greenhouses ranging from 6' wide through to 12' wide providing the next generation of aluminium greenhouses. The Core-Vect Technology is used throughout the Titan Collection. Available in unlimited lengths, these customisable greenhouses use high tensile nuts and bolts throughout and have integrated gutters, a 10 blade louvre, 4mm thick toughened glass, cantilevers, bar capping, roof vents and a canopy seal all backed by our 10 year guarantee.

With the exception of the Titan 1000 and 1200, these models benefit from integrated bases with low threshold access with double sliding doors. Add a professional look to your new Titan greenhouse by powder coating it in one of our nine beautiful coloured finishes and, with packages available, you can get the most out of what we believe are the strongest aluminium greenhouses available today and be rest assured in the knowledge that you have bought the best.

TITAN COLLECTION

HOW STRONG IS STRONG?

THE CORE-VECT TECHNOLOGY USED IN THE TITAN COLLECTION ALLOWS FOR MORE ALUMINIUM CONTENT IN THE FRAME AND ENABLES US TO MANUFACTURE AN ALUMINIUM BAR WHICH IS MASSIVELY THICKER THAN THE CORE SERIES AND THE LEADING COMPETITOR.

WHILST STILL RETAINING THE BEAUTIFUL SLEEK LINES YOU WILL FIND ON ANY TRADITIONAL GREENHOUSE, THE TITAN OFFERS WHAT WE BELIEVE TO BE THE STRONGEST GREENHOUSE AVAILABLE TODAY AND IS IDEAL IF YOUR GARDEN OR OUTDOOR SPACE IS IN AN AREA EXPOSED TO OUR EVER-CHANGING WEATHER CLIMATE.





6'3" WIDE TITAN 600
Unlimited lengths available

Titan 600, 6'x6' (Nominal), Integral Base, Green, Full Sheet Toughened Glass, Package



Titan 600 8'x6' (Nominal), Integral Base, Graphite, Full Sheet Toughened Glass, Crestings & Finials



Titan 600 6'x6' (Nominal), Integral Base, Black, Full Sheet Toughened Glass, Package

There will be no greens
left on the plate if they have
helped to grow them!



What can you grow? If you never try, you will never know.

7'5" WIDE TITAN 700

Unlimited lengths available

"I have to admit I was dubious when the chap on the phone advised me to watch one of the construction videos on the website to understand where I was going wrong when building my greenhouse. The videos were a great help, in fact having watched a few of them, I had my greenhouse finished the same afternoon. Thanks again for all your help."

Simon D, Knighton, Leicester



Titan 700 8'x7" (Nominal), Integral Base, White, Full Sheet Toughened Glass



Titan 800 12'x8' (Nominal), Integral Base, Graphite, Full Sheet Toughened Glass, Crestings and Finials



Titan 800 10'x8' (Nominal), Integral Base, Graphite, Full Sheet Toughened Glass, Package



8'5" WIDE TITAN 800

Unlimited lengths available

4' double doors provide
a huge opening

Titan 800 12'x8' (Nominal), Integral Base, Black, Full Sheet Toughened Glass, Crestings and Finials



10'5" WIDE TITAN 1000

Unlimited lengths available

As an optional extra, Elite offer an integral base with dropped doors on the Titan 1000. Alternatively you can build a brick base to the exact specification. Please see technical information on page 101 for measurements.



Titan 1200 10'x12' (Nominal), Stone, Full Sheet Toughened Glass



Titan 1200 22'x12' (Nominal), Brick Base, Graphite, Full Sheet Toughened Glass, Crestings & Finials, Internal Partition



Titan 1200, 22'x12', Brick Base, Internal Partition, Graphite, Full Sheet Toughened Glass, Crestings and Finials



"Just wanted to say thank you to everyone involved in our Titan 1200 greenhouse. We absolutely love it, the whole process has been excellent, the way in which such a big greenhouse was delivered, how easily we have found building it, despite its size, and best of all, how pleased we are with the colour. It really does look brilliant in our garden."

Hermione, Bury St Edmunds

As an optional extra, Elite offer an integral base with dropped doors on the Titan 1200. Alternatively you can build a brick base to the exact specification. Please see technical information on page 101 for measurements.

TITAN GREENHOUSE PACKAGES

The Titan Packages allow you to maximise the benefits of choosing such a substantial building and gain the most from your investment. This process is intended to simplify choosing your greenhouse model, our packages group together the essential accessories you need and offer great value for money with just one price to pay. Follow the 3 easy steps to decide which of the Titan Collection models best meet your requirements.

4MM TOUGHENED SAFETY GLASS AS STANDARD

Three
easy
steps

1
Choose the
model that best
suits your space
and needs

2
Decide how
long you want
it to be

3
Do you
want it powder
coated?

4mm
Toughened
Glass
as standard



6' 3" WIDE TITAN 600



7' 5" WIDE TITAN 700



8' 5" WIDE TITAN 800

"Despite the barrage of awful weather we seem to get here on the coast over the last few years, our Elite Titan has withstood the lot. Could not be happier and it provides quite a smug look to my face when hearing of some tales of woe over a couple of pints at allotment meet ups."

Bill K, Longhaven, Aberdeenshire



PACKAGE INCLUDES:

One automatic louvre opener
Bayliss MK7 automatic
roof vent opener
Rainwater kit
Grow hooks
Slatted shelf to length
(No. of slats depends upon the greenhouse width)
Slatted staging to length
(No. of slats depends upon the greenhouse width)

OPTIONAL UPGRADES:



POWDER
COATED

TALL ONE

An amazing working environment is created from the incredible design of the Zenith 800. This outstanding 8' wide greenhouse with a mountainous 10'3" ridge height creates a growing area completely unique to any other greenhouse we make.

ELEGANT ONE

Perfect for taller produce and allows for fantastic air flow leading to healthy crops, including lots of the features found in the Titan models, and built from the same monstrous aluminium bar, the Zenith includes a unique gutter and rainwater kit to collect all the rain from that enormous roof.

BEST ONE

Automation on every roof vent and has crestings and finials to ensure that this statement garden building leaves a lasting impression.

THE ZENITH IS THE ULTIMATE GREENHOUSE

Zenith 9'x8' (Nominal), Integral Base, Stone, Full Sheet Toughened Glass



8'5" WIDE ZENITH

Unlimited lengths available

"I saw the Zenith on display and just had to have one. Looks even better in our garden than we had thought, we colour matched all our accessories too. Really pleased with the quality and can't wait to get started."

Mary N, New Hinksey, Oxford

POWDER COATED OPTIONS



GLAZING



4mm Toughened
Safety Glass as standard

Don't forget, the Zenith is made throughout using the Titan bar - the strongest we manufacture



Double Doors



Cantilevers



Integral Base



Canopy Seal



Integral Gutter



Automatic Roof Vent



Crestings and Finials



10 Blade Louvre



Cambered Cill



Lockable



Rainwater Kit



Bar Capping

All of the above items are included with the Zenith



"High winds
and we're still
growing...
bring it on!"




"Sunday afternoon
when my granddaughter
comes around and we
are in the greenhouse
is my favourite time
of the week."




Anyone can grow

You don't need to be a gardener to own a greenhouse! Anyone, young or old, can enjoy the experiences a greenhouse can bring, be it involving the Family and teaching the children, there'll be no complaints about eating their greens if they've grown them themselves, tending to your collection of Fresh herbs and using them to create some amazing aromas and adding serious Flavours to your cooking, or an interesting hobby for a parent or loved one where they can while away many a happy hour growing plants, Fruit and veg in their greenhouse that they had always dreamed of doing. Above all, a greenhouse can help create moments for you to spend your time with the people that matter and who fill your life with memories.



"I will grow white
strawberries....I
will not give up!"



"2nd place in
best of show...
I'll have that
trophy next
year!"



"A great company.
They really know
their product
and answered
my technical
query in minutes."

ENHANCE YOUR GARDEN


To fulfil the desires of something out of the ordinary, Elite offer a series of feature greenhouses which are not only practical and long-lasting garden buildings, but designs which will enhance your outdoor space, make a statement in any garden and still provide hours of enjoyment.

STYLE PLUS PRACTICALITY


Included features:




Eaves Corner



Door Lock




Integral Gutters



Roof Vent



High Tensile Nuts & Bolts



Sliding Door(s)




Low Threshold



Clips


Additional features on the Thyme 6 and 8:



Crestings and Finials



5 Blade Louvre



Cantilevers



Diamond Shelf



POWDER COATED
OPTIONS

GLAZING OPTIONS



Toughened Safety Glass
6mm Twin Wall Polycarbonate



Featured Dwarf Wall 8'x6' (nominal),
White, Full Sheet Toughened Glass


6'3" WIDE FEATURED DWARF WALL

Unlimited lengths available

The 6' wide featured dwarf wall is where the eaves height is part brickwork and the remainder is aluminium and glazing. The greenhouse will fit seamlessly into a dwarf wall height of 762mm and the single door is then dropped into the wall opening to create a low threshold access.

The elegant and professional finish is completed with full sheet toughened glass, roof vent(s), cantilevers throughout and integral gutters. All models can be powder coated making this greenhouse an admired feature in your garden.

A Width	1912 mm
B Door Width	644 mm
C Brick Wall Height	762 mm
D Eaves Height	1492 mm
E Ridge Height	2515 mm



We will send you an official base plan.



Feature Dwarf Wall 10'x8' (Nominal), Green, Full Sheet Toughened Glass, Double Doors at each end, Crestings and Finials



Feature Dwarf Wall 10'x8' (Nominal), White, Full Sheet Toughened Glass, Crestings and Finials



Brick wall height 762mm

8'5" WIDE FEATURED DWARF WALL


Unlimited lengths available

The 8' featured dwarf wall is where the eaves height is part brickwork and the remainder is aluminium and glazing. Using a dwarf wall height of 762mm, the greenhouse fits seamlessly allowing the double door opening to be dropped into the wall to create a low threshold access.

Available in any of our nine powder coated paint finishes and with roof vents, cantilevers throughout and integral gutters, this elegant and professional greenhouse is finished with full sheet toughened glass. Designed to enhance any outdoor space this greenhouse will be admired and enjoyed for years.

Feature Dwarf Wall 12'x8' (Nominal), Green, Full Sheet Toughened Glass

A Width	2570 mm
B Door Width	955 mm
C Brick Wall Height	762 mm
D Eaves Height	1662 mm
E Ridge Height	2728 mm



6'3" WIDE THYME GLASS TO GROUND

Unlimited lengths available



Thyme 6, 8'x6' (Nominal), Integral Base, Green, Full Sheet Toughened Glass



Thyme 6, 8'x6' (Nominal), Integral Base, Olive, Full Sheet Toughened Glass

Enjoy a Victorian style 6' wide freestanding greenhouse with the Thyme 6 Glass to Ground. The 12" glazing sections produce an elegant and classical design yet with all the room for modern day growing requirements.

This period style greenhouse, with its crestings and finials, is brought up to date with practical features such as roof vent(s), 2 louvre vents, a diamond shelf and cantilevers. Integral gutters and an integral base with low threshold access and a lockable single door are also great features on this building.

Available in unlimited lengths and in any of our powder coated finishes, you will struggle to find a more attractive freestanding aluminium greenhouse in this footprint.


"Had a decrepit looking timber greenhouse in the garden of our new house we'd bought. We saw a Thyme on display, we chose one in white, and it's totally in keeping with our period property. Absolutely love it!"

Olivia B, Cheltenham



Thyme Dwarf Wall 8'x6' (Nominal), White, Full Sheet Toughened Glass

A Width	1912 mm
B Door Width	644 mm
C Brick Wall Height	762 mm
D Eaves Height	1492 mm
E Ridge Height	2515 mm



We will send you an official base plan.



Thyme 8'x6' (Nominal), Berry, Dwarf Wall Full Sheet Toughened Glass

6'3" WIDE THYME DWARF WALL

Unlimited lengths from 4'5"



12" Wide Glass Panels

Thyme Dwarf Wall 8'x6' (Nominal), Olive, Full Sheet Toughened Glass



8'5" WIDE THYME GLASS TO GROUND

Unlimited lengths available

Thyme8 10'x8' (Nominal), Integral Base, White, Full Sheet Toughened Glass

The 12" centre glazing sections offer a spacious and practical freestanding 8' wide greenhouse. The unique appearance of a period style greenhouse, which can be powder coated in any of our great colours, has all the style and elegance you would expect from a wooden freestanding greenhouse but with all the practicality that only an aluminium model can bring.

This period style greenhouse with its crestings and finials is brought up to date with practical features such as roof vent(s), 2 louvre vents, a diamond shelf and cantilevers. Integral gutters and an integral base with low threshold access and a lockable single door are also great features on this building.




Thyme Dwarf Wall 16'x8' (Nominal), Black, Full Sheet Toughened Glass



Thyme Dwarf Wall, 14'x8' (nominal), White, Full Sheet Toughened Glass

A Width	2570 mm
B Door Width	955 mm
C Brick Wall Height	762 mm
D Eaves Height	1662 mm
E Ridge Height	2538 mm



8'5" WIDE THYME DWARF WALL

Unlimited lengths available



Thyme Dwarf Wall, 12'x8' (Nominal).
Stone, Full Sheet Toughened Glass



GROW ANYWHERE


Our series of Lean-Tos have remained such popular choices for customers looking for an alternative to a traditional freestanding greenhouse. Ranging from 2' all the way to 8' wide, in unlimited lengths, there is sure to be a Lean-To to fit your needs.

A Lean-To can be the perfect addition to your garden. From attaching to the side of your shed to making it a feature on the rear or side of your house, a Lean-To, with its elegant and timeless design, allows you a way of connecting your garden to the comforts and convenience of your home.



LEAN-TO COLLECTION


Included features:



Sliding Door




High Tensile Nuts & Bolts



Roof Vent



Clips



Overlapping Cills




Integral Gutter

Additional features on the Kensington 4 and 6:



One 5 Blade Louvre



Extruded Shelf



Cantilever



POWDER COATED
OPTIONS

GLAZING OPTIONS



Horticultural Glass
Toughened Safety Glass
6mm Twin Wall Polycarbonate



COLD FRAME

6'x2' Cold Frame, Polycarbonate, Green



4'x2' Cold Frame, Toughened Safety, Alloy

Ideal for modern urban living, the Window Garden can attach to a wall or shed.

The Cold Frame, with its tilt or slide top vents, provides a great tool for a blossoming interest in "growing your own" from a simple grow bag to a fully featured herb garden.



Window Garden



Easygro 4'x2' (Nominal), Green Base, Green Full Sheet Toughened Glass

2'3" WIDE EASYGROW

Unlimited lengths available

An ideal introduction to the greenhouse scene, the Easygrow maximises the potential to grow produce from a limited space without a reduction in quality and requires minimal investment.

Perfect size building
to attach to your
garden shed



Easygro 10'x2' (Nominal), Alloy Base, Alloy, Full Sheet Toughened Glass

WINDSOR LEAN-TO PACKAGE

We have designed our packages to help simplify choosing a Lean-To, to group together accessories to enable you to get started with a bang and to offer great value with one single price to pay. The package features are in conjunction with the Windsor's standard features.

HORTICULTURAL GLASS AS STANDARD

Four easy steps


1 Choose the model that best suits your space and needs

2 Decide how long you want it to be

3 Pick your glass

4 Do you want it powder coated?


If you are struggling to fit your Lean-To under a window or soil pipe, then the flat cill option may provide the answer.



PACKAGE INCLUDES:

- Automated 5 blade louvre
- Automatic roof vent opener
- Rainwater kit
- 2 slatted shelf to length
- 5 slatted staging to length
- Grow hooks
- 5" Separate base

OPTIONAL UPGRADES:



POWDER COATED



TOUGHENED SAFETY GLASS

4'4" WIDE WINDSOR

Unlimited lengths available



Windsor 6'x4" (Nominal), Alloy Base, Alloy, Full Sheet Toughened Glass, Package

"The lower ridge height on the Windsor has allowed me to attach the Lean-To against the wall of my shed. I now have two brilliant buildings in the same area of my garden which look neat, tidy and is exactly what I was looking to achieve."

Bill, Canterbury



Windsor 6'x4" (Nominal), No Base (Flat Cill), Green, Full Sheet Toughened Glass



Kensington 10'x4' (Nominal), Green, Flat Cills, Full Sheet Toughened Glass

The elegant and timeless designs of the 4' and 6' wide Kensingtons, which we can manufacture to any length and can powder coat in any of our fabulous colours, offer many of the features found in our Core Series of greenhouses and allow you a way of connecting your garden to the comforts and convenience of your home.

We insist, for legal and safety reasons, that toughened glass is chosen if any of your Lean-To covers an entrance to your dwelling.



Kensington 6 14'x6' (Nominal). Brown, Separate Alloy Base, Full Sheet Toughened Glass



KENSINGTON 4

Unlimited lengths available

Kensington 4 8'x4' (Nominal), Alloy, Separate Base, Horticultural Glass

If you are struggling to fit your Lean-To under a window or soil pipe, then the flat cill option may provide the answer.



KENSINGTON 6

Unlimited lengths available

Kensington 6 24'x6' (Nominal), Green, Double Front Doors, Flat Cills, Internal Partition, Full Sheet Toughened Glass



Kensington 6 24'x6' (Nominal), Green, Flat Cills, Internal Partition, Full Sheet Toughened Glass

If you have anything which overhangs the ridge of the Lean-To, you must allow 1" (25mm) height clearance for the roof vent.



NEXT GENERATION LEAN-TO

Titan K800, 12'x8' (Nominal) Green, Full Sheet Toughened Glass, Double Doors on the left hand gable

8'5" WIDE TITAN K800

Unlimited lengths available

Like the iconic Titan Freestanding Greenhouse, the introduction of the Titan frame has borne the next generation of Lean-Tos from Elite. The K800 is an 8'5" wide Lean-To made from the thickest and toughest bar we manufacture and therefore we believe this is the strongest Lean-To greenhouse you can buy. Built from flat cills, no base is required on the K800, allowing for a sleek and professional finish which is complimented by tall 3'9" wide double doors located at either the front or gable end.

Including a 5 blade louvre, 8' long diamond shelf, at least 1 roof vent and lockable doors, this beautiful modern Lean-To will not only enhance your outdoor space but provide a healthy growing environment to what was a previous unused area in your garden.

POWDER COATED OPTIONS



GLAZING



4mm Toughened
Safety Glass as standard

Built with flat cills, no base is required on the K800

Don't forget, the K800 is made throughout using the Titan bar - the strongest we manufacture



Diamond Shelf



High Tensile Nuts and Bolts



Door Handle



Double Door



Roof Vent



Low Threshold



5 Blade Louvre



Lockable



Integral Gutter

All of the above items are included with the K800

Double doors can be positioned on the front or either gable end

BESPOKE

What sets Elite apart from any other greenhouse manufacturer is our ability to bespoke a greenhouse to your particular needs or requirements. Throughout this brochure, any of the models you have seen can be made to unlimited lengths. However, if you have a desire to have something different in your garden, or want to utilise an unusual or uneven area of your outdoor space, then we may be able to meet your needs. Not everyone's garden, outdoor space or needs are the same, therefore we believe you should not be governed by a standard size of model. Your expectations and what you want to grow are only limited by your imagination.



Varying Wall Height



Varying Wall Height



Double Doors on the Length of the Greenhouse



Extra Tall Lean-To

DROP DOOR

A drop door modification is applied when the overall height of any Elite building needs to be increased.

It involves a brick wall being built by the customer to their desired height before a standard dimensional building is then constructed on top. A threshold is left in the wall for the door(s) to be dropped into and the cambered drop door then provides a neat and professional finish with the all-important easy access.






R-TYPE GREENHOUSE

Unlimited lengths available

High Eave R-Type, 2'x6' (Nominal), Alloy, Full Sheet Toughened Glass

The principle of the R-Type is that you are able to choose any of the freestanding models which we manufacture and then by removing the rear end section of the greenhouse, this allows you to anchor the framework to a wall, shed or garage using wall bars. That anchoring process acts as an integral part of the strength of the greenhouse and offers the opportunity to maximise your available space by being able to reuse part of a structure already there such as the outer wall of a garage or shed.

Simply choose the free standing model you like, all principles of that model will be available such as choice of colours, glazing and accessories and the rear section is then removed.



A WIDTH	B LENGTH (Coming out from the wall)
The R-Type width depends on which freestanding greenhouse model you choose. Choose any model from pages 10 to 65.	Unlimited lengths starting from 2'3"



Supreme R-Type 14'x10' (Nominal), Dwarf Wall, White, Full Sheet Toughened Glass



R-TYPE LEAN-TO

Unlimited lengths available

Kensington 6 R-Type 8'x6' (Nominal), No Base, Brown, Horticultural Glass

Using the same principle as found in the R-Type greenhouse, simply choose the model of Lean-To which best suits your requirements, all of the aspects of the standard model then apply such as colour, glazing options and accessories. Your chosen gable end of the Lean-To is then removed. This allows you to anchor the Lean-To against two walls which is perfect for a restrictive space, such as a courtyard or L-shaped area and can provide a very practical and eye-catching outdoor building.


You can omit the left or right hand gable.



Kensington 6 R-Type 12'x6' (Nominal), No Base, Alloy, Horticultural Glass

A WIDTH (coming out from the wall)	B LENGTH
EASYGROW 2'3" (700mm)	from 4'5"
WINDSOR 4'4" (1320mm)	from 6'6"
KENSINGTON 4 4'4" (1320mm)	from 6'5"
KENSINGTON 6 6'4" (1940mm)	from 6'5"
TITAN K800 8'4" (2535mm)	from 6'5"

You can omit the left or right hand gable (must specify).



Don't forget, you can have an R-Type on any greenhouse or Lean-To, including the Titan.

HERE'S SOME SUGGESTED ACCESSORIES

Any aluminium accessory can be powder coated to match your greenhouse.



Greenhouse Caddy



Seed Trays



Thermometer



Ventilation



Automatics



Cantilevers



Guttering



Sieve



Staging and Shelving




Water Barrels

ALUMINIUM CRESTINGS & FINIALS

- Cast aluminium - extremely strong (not plastic)
- Available on all Elite Greenhouses (excluding iGro and Lean-Tos)
- Creates an individual and professional decorative finish
- Can be powder coated in any of Elite's colours
- Deterrent against cats and birds





HYBRID ALUMINIUM PANELS

- Available on all Elite Greenhouses and Lean-To
- Extremely strong and virtually unbreakable on impact
- Lawnmower / Strimmer friendly
- Impact from a ball or stones will simply bounce off
- Replaces part of the side glass - 585mm tall
- Hides unsightly grow bags, pots and tools
- Attractive appearance and can be powder coated to suit your greenhouse and garden environment
- Choose bar capping as an optional extra to finish

Strata 8'x6' (Nominal), Green



Delta 6'x5' (Nominal) Terracotta



Craftsman 4'x6', Brown



INTERNAL PARTITIONS

"We feel like we've got two greenhouses for the price of one with these internal partitions. We can control the temperatures easily and have completely different produce which require different climates in each section. We would definitely recommend them to anyone".

Margaret, Livingston, West Lothian

Internal partitions are available on most Elite buildings. Check the specification on Page 100. They also come as standard if your building is over 20' long.



GLAZING MATERIAL
BAR CAPPING
POWDER COATING
BASES
EXTENSIONS
CONSTRUCTION
WHERE TO BUY
DELIVERY
TECHNICAL

INFORMATION

GLAZING MATERIAL

Q: Why should I upgrade to Toughened Safety Glass?

A: If you have any pets, young children, or live in an urban area we advise you to upgrade to Toughened Safety Glass purely because in the event of a breakage, the glass granulates and therefore removes any danger of injury. We only use the top grade EN12150 glass which is primarily in full length sheets which gives a much neater finish, removes any overlapping glass and therefore no moss or algae.

"So glad we went for the Toughened Glass option in our Elite Compact. We've got peace of mind that if anything happened, there would be no danger to Archie, our retriever."

Maureen C, Kirkby Lonsdale, Cumbria



Horticultural Glass

Horticultural Glass breaks into large shards which can be dangerous.

Q: Is there an alternative to glass?

A: Elite offer 6mm thick polycarbonate. It is UV treated, twin wall with silvered edges, and like the toughened safety glass, it comes in full sheets and is a great option where children and pets are concerned.

Q: Do I need to wear gloves and goggles?

A: Remember when handling any type of glass, the upmost care must be taken as it is extremely fragile when not in situ. Always protect your hands and eyes when handling glass especially the edges - we advise that safety goggles and gloves are worn.

4mm Toughened Safety Glass is standard on all Titan models.




Toughened Safety Glass

Toughened Safety Glass breaks into small granules which is less likely to cause injury.



Standard Frame without Bar Capping



Standard Frame with Bar Capping in place

BAR CAPPING

Q: Do I need bar capping?


A: You don't have to have the bar capping, your greenhouse glass can be held in place with the appropriate glazing clips as per the instructions. The bar capping provides a stronger hold for the glass against the frame plus the rubber fin makes for a better water seal and it is a way of hiding the clips and therefore makes a neater finish on your greenhouse. If your greenhouse is exposed to the elements then we strongly recommend considering the bar capping for a stronger fit for the glass. Bar capping is standard on many of the Elite buildings - please check the technical information at the end of the brochure.

Q: How is bar capping fitted?

A: The capping is simply screwed into position using colour coded screws which do not leave any unsightly silver screw heads on show.

Q: Can I use bar capping on overlapping glass?

A: We don't recommend it. The bar capping would need to be cut at every overlapping point - reducing the feature of a neat finish.





Life expectancy
25 years


POWDER COATING

Q: Why would I powder coat my greenhouse?

A: We've been selling greenhouses in alloy finish since the day we started and continue to do so. However, we now offer 9 different colours to choose from so your greenhouse can become more of a feature in your garden or outdoor space. The powder coating provides a high class finish to the frame, is resistant to corrosion and UV degradation and will look great for in excess of 25 years.

Q: Can my greenhouse staging also be powder coated?

A: Yes, any aluminium accessory can be powder coated to match.



At the powder coating plant



"Absolutely delighted with our new Elite Titan Greenhouse and so glad we went for the powder coated finish in graphite. It really does look fab and matches the bi-folding doors we have in our kitchen."

Sarah B, Llanbedr, Gwynedd



PICK AND MIX

Q: Can I choose any colour?

A: Elite has chosen what we feel are the best "garden" colours. However, there are literally thousands of colours to choose from. So if there is a favourite plant pot or window frame you want to match, we can do it. All we need is the RAL number.




Bespoke colours will not have matching plastic mouldings

DUAL COLOURS

You can have your greenhouse two-toned



Colours used:
Black and White



Colours used:
Green and Olive



Colours used:
Brown and Stone

BASES

Q: Do I need a base?

A: On all Elite Greenhouses and Lean-Tos you require some form of base, the exception being the Lean-To Titan K800. Please see the table below for the relevant base for your chosen model.

Standard Integral Base			Optional Integral Base or Brick Base	Optional Sep Base or Brick Base	Brick Base
4' Compact	6' High Eave	Titan 700	10' Supreme	2' Easygro	Featured Dwarf Wall 6
4' Maxim	6' Strata	Titan 800	12' Classique	4' Windsor	Featured Dwarf Wall 8
5' Streamline	7' Vantage	Zenith 800	Titan 1000	Kensington 4	Thyme Dwarf Wall 6
5' Delta	8' Belmont	Thyme 6	Titan 1200	Kensington 6	Thyme Dwarf Wall 8
6' Craftsman	Titan 600	Thyme 8			

Q: What should my greenhouse and base stand on?

A: The most popular method is to lay a level and flat flagged area. You could also use a concrete pad, patio, decking or even sleepers. Remember to build your area slightly larger than the greenhouse size allowing room for water barrel(s), cleaning and maintenance of the greenhouse.

Q: How do I anchor the greenhouse on concrete?

A: The integral base or separate base is secured at the corners with a bracing bracket and is also anchored down internally with unequal angle brackets. The base comes complete with all the fixings you need to anchor and secure.



Soft Soil Support

Q: Is it possible to put my greenhouse and base onto soil or grass?

A: Yes, this option is ideal for those who want to grow with the natural soil in the greenhouse. A hard support, such as concrete flags, must be fitted under the cill of the door(s) to allow the door(s) to run in the track – we recommend using our soft soil support which can be purchased at the time of ordering.



Base Legs

Q: How do I anchor the greenhouse down on grass?

A: Both the integral and standard base include "base legs" which attach to the base and are then inserted into the ground. Once the greenhouse is fully erected, level and square, these legs can be then concreted into the ground. Please note – cement not included.

Q: When building a brick base - why does it need to be exact?

A: The Elite cill has to overhang, therefore the brick base must be built to the exact measurements for the cill to fit. We provide you with a base plan once your order has been placed.

Please note that the number of bricks used in the base height will result in a higher step over into the greenhouse. As an optional extra, the door(s) can be dropped into the brick work to allow for a low threshold entrance.



Brick Base

Q: What is an integral base?

- A: • The inclusive integral aluminium base is perfectly designed for all the freestanding greenhouses up to and including 8' wide (Excluding the GX as no base is required).
- The door(s) are "dropped" into the base providing a ground level threshold allowing easy access.
 - The base is integral so therefore is colour coded to match your greenhouse finish.
 - The base is versatile because it can be fitted directly onto soft ground as well as a solid foundation.

Q: I want a big greenhouse - what are my base options?

A: As an optional extra, Elite offer an integral base with dropped doors on the Supreme, Classique, Titan 1000 and Titan 1200. Alternatively you can build a brick base to the exact specification. If you are building a brick base, why not consider dropping the doors into the brick base for a low threshold entrance (optional extra)?



Separate Base



Integral Base

Low threshold

Q: What is a separate base?

A: On some of our models, especially the Lean-Tos, by not providing an integrated base this gives you the freedom of choice and some flexibility in regard to the building's height. The separate aluminium base by Elite is 5" tall – if you cannot fit this height in conjunction with the Lean-To building you might want to opt for a brick base or tanalised wood which could be 2", therefore reducing the overall height by 3".

The Lean-To base does not have a ground level threshold as standard, however, the door(s) can be dropped into the separate base as an optional extra.

We offer a separate base for all Lean-Tos with the exception of the Titan K800. Wherever possible, we recommend you utilise the separate aluminium base as this has been designed exactly for your chosen building, it makes the structure look neater, and feel much stronger and avoids the need of employing a brick layer.

Q: Height is limited – what can I do?

A: For the buildings which do not include an integral base we can offer flat cills. If you are struggling to fit your Lean-To under a window or a soil pipe, for example, then the flat cill option may provide the answer. Simply specify this request at the time of ordering.

The Titan K800 Lean-To comes as standard with flat cills which ideally needs to be on a patio or solid floor.



EXTENSIONS

Q: I wish we'd bought a bigger greenhouse. Ours is full, do we have to buy a new one?

A: It is a simple process for us to make your current greenhouse bigger! Unlike other manufacturers, we make our greenhouses to your desired length at the time of purchase. If you decide you need more room, then we can produce an extension section to your greenhouse, which can be as long as you like, and of course be powder coated in your original colour too. All you need to worry about then is what to fill it with!



"I just haven't got enough room for all my plants."

"I wish I'd purchased a bigger greenhouse."



We can make your greenhouse bigger

CONSTRUCTION

We are here to help!

Q: Can I build the greenhouse myself or do Elite install the greenhouse for me?

A: Our greenhouses have always been a self-build product, however there are customers who prefer to let a professional installer build it for them. Your retailer may offer an installation service for you. However, if you wish to build it yourself, there is a comprehensive set of written instructions with every greenhouse.

Our advice is to take your time with it, building the greenhouse for many is part of the enjoyment of owning one. We are here to help and can offer advice and technical support whenever you need it.



There are short videos for the various aspects of building each section too.
www.elite-greenhouses.co.uk



TOOLS NEEDED

Step ladders, M6 – M10 spanner, Pozidriv screwdriver, gloves, goggles

MAINTENANCE

Regular maintenance and care should not be too difficult but will keep your Elite Greenhouse in service for years, if not decades. Cleaning your greenhouse greatly improves the growing environment for plants. By removing the algae, moss and grime it lets in more light and helps control pests and diseases too.

- First remove any plants temporarily.
- Use a brush to sweep down any table tops, remove cobwebs from the corners and clear all debris from the floor.
- It's essential to keep your greenhouse windows clean, inside and outside, in order to maximise light levels. Using a microfibre cloth, clean the glass, aluminium and plastic. You can use a commercial greenhouse cleaning product but hot soapy water and a sponge does the trick. Then rinse with clean water and allow to dry.
- You can now use a commercial antibacterial spray to wipe down staging and shelves (read the instructions on the label).
- Disinfect any empty pots and tools.
- Remember to take care using ladders. Make sure they are placed on steady ground and wear shoes with good grips.

WHERE TO BUY

Q: How do I find out where my nearest retailer is so I can go and view a greenhouse?

A: If you visit our website, we have a "Find Your Dealer" program where you can enter your post code and it will display your nearest retailers within a mileage range of your choice. You can call us or send us an email any time and we can provide you this information as well. We do not sell direct to the public but through a series of authorised dealers who will be happy to help you with all your needs.



Find your local dealer

DELIVERY

We use our own fleet of vehicles and drivers



Height: 11'4", Length: 30', Width: 8'6" Class II - 15 ton (similar in dimension to a furniture removal van)

Q: Will my greenhouse be delivered?

A: Elite deliver the majority of greenhouses direct to your door, nationwide, using our own fleet of vehicles. Exceptions to this are when the retailer takes in stock from us and delivers to customers themselves, or if you have arranged with your retailer for them to build the greenhouse for you.

Q: Access to my property is restricted what happens then?

A: The vehicles we use to deliver our greenhouses are purpose built for the job, are Class II 15 tonne in weight and similar in size to a furniture removal van. The best thing to do is contact your retailer to discuss alternative options and to clarify your postcode for the delivery route.

Q: Once I've placed my order how quick will my greenhouse be delivered?

A: Our lead times are only for guidance so please check with your stockist as they can vary throughout the year as it is a seasonal product. We advise you to inform your retailer immediately of any dates which are not suitable for you and make them aware of any restrictions or issues.

Q: Will I be notified of my delivery date and if so do I need to sit in and wait?

A: Our drivers are accustomed to delivering to unattended properties, we will leave the greenhouse wherever you require and post the paperwork through your letter box to enable you to check the items on your return.



"Just received my new Elite greenhouse this morning. The delivery driver was so nice and courteous. He unloaded everything by hand and placed it all where I wanted. He had finished the job before my kettle had boiled! Could not be happier, thanks again."

David W. Redruth, Cornwall




TECHNICAL INFO

GREENHOUSE

Long lengths are available on every model listed.

Please contact your supplier for a base plan for any size or modification (drop door, dwarf wall, partition, etc.) not listed on this page.

Exact base dimensions for Elite range (where required).
The following measurements are external dimensions.



KEY

- : Standard Features
- : Optional Extra

SD - L : Single Door available on Length only
SD - W : Single Door available on Width only
SD - LW : Single Door available on Length and/or Width
O - DD : Optional Double Door on Length (and/or Width if over 8')

BIB : Built in Base
O - BIB : Optional Built in Base
O - SB : Optional 5" Separate Aluminium Base
R - BB : Recommended Brick Base
BRK : Brick Wall

When constructing a wall please only build your brick base once you have an official base plan from Elite.

Nominal Size (ft)	Model Name	A (mm)	B (mm)	C (mm)	E (mm)	F (mm)	Door Height x Width	Single Door	Double Door	Base	Low Threshold Door	Roof Vents	Louvre Vents	Shelf	Bar Capping	Crestings & Finials	Partition	Dwarf Wall
4 x 4	Compact	1300	1351	1874	1553 with BIB	2122 with BIB	Double 1750 x 600		●	BIB	●	1	○	○	○	○	○	○
6 x 4	Compact	1300	1971	2361					●		●	1	○	○	○	○	○	○
8 x 4	Compact	1300	2589	2897					●		●	1	○	○	○	○	○	○
4 x 4	Maxim	1300	1351	1874	1726 with BIB	2300 with BIB	Double 1910 x 600		●	BIB	●	1	○	○	○	○	○	○
6 x 4	Maxim	1300	1971	2361					●		●	1	○	○	○	○	○	○
8 x 4	Maxim	1300	2589	2897					●		●	1	○	○	○	○	○	○
4 x 5	Streamline	1590	1351	2086	1425 with BIB	2122 with BIB	Double 1750 x 600		●	BIB	●	1	○	○	○	○	○	○
6 x 5	Streamline	1590	1971	2532					●		●	1	○	○	○	○	○	○
8 x 5	Streamline	1590	2589	3038					●		●	1	○	○	○	○	○	○
4 x 5	Delta	1590	1351	2086	1726 with BIB	2420 with BIB	Double 1910 x 600		●	BIB	●	1	○	○	○	○	○	○
6 x 5	Delta	1590	1971	2532					●		●	1	○	○	○	○	○	○
8 x 5	Delta	1590	2589	3038					●		●	1	○	○	○	○	○	○
4 x 6	Craftsman	1900	1351	2331	1292 with BIB	2122 with BIB	Single 1750 x 600	●		BIB	●	1	○	○	○	○	○	○
6 x 6	Craftsman	1900	1971	2737				●			●	1	○	○	○	○	○	○
8 x 6	Craftsman	1900	2589	3211				●			●	2	○	○	○	○	○	○
10 x 6	Craftsman	1900	3205	3725				●			●	2	○	○	○	○	○	○
12 x 6	Craftsman	1900	3823	4269				●			●	2	○	○	○	○	○	○
4 x 6	High Eave	1900	1351	2331	1585 with BIB	2420 with BIB	Single 1910 x 600	●		BIB	●	1	○	○	○	○	○	○
6 x 6	High Eave	1900	1971	2737				●			●	1	○	○	○	○	○	○
8 x 6	High Eave	1900	2589	3211				●			●	2	○	○	○	○	○	○
10 x 6	High Eave	1900	3205	3725				●			●	2	○	○	○	○	○	○
12 x 6	High Eave	1900	3823	4269				●			●	2	○	○	○	○	○	○
4 x 6	Strata	1900	1351	2331	1585 with BIB	2420 with BIB	Double 1910 x 840	●		BIB	●	1	○	○	○	○	○	○
6 x 6	Strata	1900	1971	2737				●			●	1	○	○	○	○	○	○
8 x 6	Strata	1900	2589	3211				●			●	2	○	○	○	○	○	○
10 x 6	Strata	1900	3205	3725				●			●	2	○	○	○	○	○	○
12 x 6	Strata	1900	3823	4269				●			●	2	○	○	○	○	○	○
6 x 7	Vantage	2225	1971	2972	1585 with BIB	2370 with BIB	Double 1910 x 890	●		BIB	●	1	○	○	○	○	○	○
8 x 7	Vantage	2225	2589	3413				●			●	2	○	○	○	○	○	○
10 x 7	Vantage	2225	3205	3901				●			●	2	○	○	○	○	○	○
12 x 7	Vantage	2225	3823	4423				●			●	2	○	○	○	○	○	○
14 x 7	Vantage	2225	4441	4967				●			●	3	○	○	○	○	○	○
16 x 7	Vantage	2225	5059	5526				●			●	4	○	○	○	○	○	○
18 x 7	Vantage	2225	5677	6097				●			●	5	○	○	○	○	○	○
20 x 7	Vantage	2225	6295	6676				●			●	6	○	○	○	○	○	○
6 x 8	Belmont	2545	1971	3218	1585 with BIB	2475 with BIB	Single 1910 x 600	●	○	BIB	●	1	○	○	○	○	○	○
8 x 8	Belmont	2545	2589	3630				●	○		●	2	○	○	○	○	○	○
10 x 8	Belmont	2545	3205	4092				●	○		●	2	○	○	○	○	○	○
12 x 8	Belmont	2545	3823	4592				●	○		●	2	○	○	○	○	○	○
14 x 8	Belmont	2545	4441	5118				●	○		●	3	○	○	○	○	○	○
16 x 8	Belmont	2545	5059	5663				●	○		●	4	○	○	○	○	○	○
18 x 8	Belmont	2545	5677	6221				●	○		●	5	○	○	○	○	○	○
20 x 8	Belmont	2545	6295	6789				●	○		●	6	○	○	○	○	○	○
10 x 10	Supreme	3195	3194	4517	1345 Ex Base	2420 Ex Base	Double 1750 x 890 Ex Base	●		O-BIB	●	2	2	2	○	○	○	○
12 x 10	Supreme	3195	3812	4974				●			●	2	2	2	○	○	○	○
14 x 10	Supreme	3195	4430	5462				●			●	3	2	2	○	○	○	○
16 x 10	Supreme	3195	5048	5974				●			●	4	2	2	○	○	○	○
18 x 10	Supreme	3195	5666	6505				●			●	4	2	2	○	○	○	○
20 x 10	Supreme	3195	6284	7050				●			●	4	2	2	○	○	○	○

Nominal Size (ft)	Model Name	A (mm)	B (mm)	C (mm)	E (mm)	F (mm)	Door Height x Width	Single Door	Double Door	Base	Low Threshold Door	Roof Vents	Louvre Vents	Shelf	Bar Capping	Crestings & Finials	Partition	Dwarf Wall
10 x 12	Classique	3804	3194	4967	1345 Ex Base	2630 Ex Base	Double 1750 x 1200 Ex Base		●	O-BIB	○	2	2	8' Extruded Shelf	○	○	○	○
12 x 12	Classique	3804	3812	5385					●		○	2	2		○	○	○	○
14 x 12	Classique	3804	4430	5839					●		○	3	2		○	○	○	○
16 x 12	Classique	3804	5048	6320					●		○	4	2		○	○	○	○
18 x 12	Classique	3804	5666	6825					●		○	4	2		○	○	○	○
20 x 12	Classique	3804	6284	7346					●		○	4	2		○	○	○	○
4 x 6	GW600	1936	1373	2373	1631	2470	Double 1910 x 840		●	No Base required	●	1	2	6' Diamond Shelf	●	○	○	○
6 x 6	GW600	1936	1993	2779					●		1	2	●		○	○	○	
8 x 6	GW600	1936	2611	3250					●		2	2	●		○	○	○	
10 x 6	GW600	1936	3227	3763					●		2	2	●		○	○	○	
12 x 6	GW600	1936	3845	4305					●		2	2	●		○	○	○	
6 x 8	GW800	2586	1993	3263	1631	2510	Double 1910 x 1150		●	No Base required	●	1	2	8' Diamond Shelf	●	○	○	○
8 x 8	GW800	2586	2611	3673					●		2	2	●		○	○	○	
10 x 8	GW800	2586	3227	4134					●		2	2	●		○	○	○	
12 x 8	GW800	2586	3845	4632					●		2	2	●		○	○	○	
14 x 8	GW800	2586	4461	5155					●		4	2	●		○	○	○	
16 x 8	GW800	2586	5079	5688					●		4	2	●		○	○	○	
18 x 8	GW800	2586	5697	6255					●		6	2	●		○	○	○	
20 x 8	GW800	2586	6315	6823					●		6	2	●		○	○	○	
6 x 6	Titan 600	1900	1971	2737	1585 with BIB	2420 with BIB	Double 1910 x 840		●	BIB	●	1	1	○	●	○	○	○
8 x 6	Titan 600	1900	2589	3211					●		2	1	○	●	○	○	○	
10 x 6	Titan 600	1900	3205	3725					●		2	1	○	●	○	○	○	
12 x 6	Titan 600	1900	3823	4269					●		2	1	○	●	○	○	○	
6 x 7	Titan 700	2225	1971	2972	1585 with BIB	2410 with BIB	Double 1910 x 840	○	●	●	●	1	1	○	●	○	○	○
8 x 7	Titan 700	2225	2589	3413				○	●	●	●	2	1	○	●	○	○	○
10 x 7	Titan 700	2225	3205	3901				○	●	●	●	2	1	○	●	○	○	○
12 x 7	Titan 700	2225	3823	4423				○	●	●	●	2	1	○	●	○	○	○
14 x 7	Titan 700	2225	4441	4967				○	●	●	●	3	1	○	●	○	○	○
16 x 7	Titan 700	2225	5059	5526				○	●	●	●	4	1	○	●	○	○	○
18 x 7	Titan 700	2225	5677	6097				○	●	●	●	5	1	○	●	○	○	○
20 x 7	Titan 700	2225	6295	6676				○	●	●	●	6	1	○	●	○	○	○
6 x 8	Titan 800	2545	1971	3218	1585 with BIB	2475 with BIB	Double 1910 x 1150		●	BIB	●	1	1	○	●	○	○	○
8 x 8	Titan 800	2545	2589	3630					●		2	1	○	●	○	○	○	
10 x 8	Titan 800	2545	3205	4092					●		2	1	○	●	○	○	○	
12 x 8	Titan 800	2545	3823	4592					●		2	1	○	●	○	○	○	
14 x 8	Titan 800	2545	4441	5118					●		4	1	○	●	○	○	○	
16 x 8	Titan 800	2545	5059	5663					●		4	1	○	●	○	○	○	
18 x 8	Titan 800	2545	5677	6221					●		6	1	○	●	○	○	○	
20 x 8	Titan 800	2545	6295	6789		●	6	1	○	●	○	○	○					
10 x 10	Titan 1000	3195	3194	4517	1345 Ex Base	2460 Ex Base	Double 1910 x 840		●	O-BIB	●	2	1	○	●	○	○	○
12 x 10	Titan 1000	3195	3812	4974					●		2	1	○	●	○	○	○	
14 x 10	Titan 1000	3195	4430	5462					●		4	1	○	●	○	○	○	
16 x 10	Titan 1000	3195	5048	5974					●		4	1	○	●	○	○	○	
18 x 10	Titan 1000	3195	5666	6505					●		6	2	○	●	○	○	○	
20 x 10	Titan 1000	3195	6284	7050					●		6	2	○	●	○	○	○	
10 x 12	Titan 1200	3804	3194	4967	1345 Ex Base	2670 Ex Base	Double 1910 x 1150		●	O-BIB	●	2	1	○	●	○	○	○
12 x 12	Titan 1200	3804	3812	5385					●		2	1	○	●	○	○	○	
14 x 12	Titan 1200	3804	4430	5839					●		4	1	○	●	○	○	○	
16 x 12	Titan 1200	3804	5048	6320					●		4	1	○	●	○	○	○	
18 x 12	Titan 1200	3804	5666	6825					●		6	2	○	●	○	○	○	
20 x 12	Titan 1200	3804	6284	7346					●		6	2	○	●	○	○	○	
6 x 8	Zenith 800	2545	1979	3224	1583	3160	Double 1910 x 840		●	BIB	●	2	1	●	●	●	○	○
9 x 8	Zenith 800	2545	2909	3865					●		2	1	●	●	○	○	○	
12 x 8	Zenith 800	2545	3839	4606					●		2	1	●	●	●	○	○	
15 x 8	Zenith 800	2545	4769	5406					●		4	1	●	●	●	○	○	
18 x 8	Zenith 800	2545	5695	6238					●		6	1	●	●	●	○	○	
4 x 6	Thyme 6 - Floor	1900	1351	2331	1585 with BIB	2420 with BIB	Double 1910 x 600		●	BIB	●	1	2	6' Diamond Shelf	○	●	○	○
6 x 6	Thyme 6 - Floor	1900	1971	2737					●		1	2	○		●	○	○	○
8 x 6	Thyme 6 - Floor	1900	2589	3211					●		2	2	○		●	○	○	○
10 x 6	Thyme 6 - Floor	1900	3205	3725					●		2	2	○		●	○	○	○
12 x 6	Thyme 6 - Floor	1900	3823	4269					●		2	2	○		●	○	○	○
6 x 8	Thyme 8 - Floor	2545	1971	3218	1585 with BIB	2480 with BIB	Double 1910 x 890		●	BIB	●	1	2	8' Diamond Shelf	○	●	○	○
8 x 8	Thyme 8 - Floor	2545	2589	3630					●		2	2	○		●	○	○	○
10 x 8	Thyme 8 - Floor	2545	3205	4092					●		2	2	○		●	○	○	○
12 x 8	Thyme 8 - Floor	2545	3823	4592					●		2	2	○		●	○	○	○
14 x 8	Thyme 8 - Floor	2545	4441	5118					●		4	2	○		●	○	○	○
16 x 8	Thyme 8 - Floor	2545	5059	5663					●		4	2	○		●	○	○	○
18 x 8	Thyme 8 - Floor	2545	5677	6221					●		6	2	○		●	○	○	○
20 x 8	Thyme 8 - Floor	2545	6295	6789		●	6	2	○	●	○	○	○					


TECHNICAL INFO

LEAN-TO

Long lengths are available on every model listed.

Please contact your supplier for a base plan for any size or modification (drop door, dwarf wall, partition, etc.) not listed on this page.

Exact base dimensions for Elite range (where required).
The following measurements are external dimensions.



KEY

- : Standard Features
- : Optional Extra


SD - L : Single Door available on Length only
SD - W : Single Door available on Width only
SD - LW : Single Door available on Length and/or Width
O - DD : Optional Double Door on Length (and/or Width if over 8')

BIB : Built in Base
O - BIB : Optional Built in Base
O - SB : Optional 5" Separate Aluminium Base
R - BB : Recommended Brick Base
BRK : Brick Wall

When constructing a wall please only build your brick base once you have an official base plan from Elite.
If you have anything overhanging the ridge on a Lean-To, please allow 1" (25mm) height clearance for the roof vent.


Nominal Size (ft)	Model Name	L (mm)	M (mm)	N (mm)	O (mm)	P (mm)	Door Height x Width	Single Door	Double Door	Base	Low Threshold Door	Roof Vents	Louvre Vents	Shelf	Bar Capping	Crestings & Finials	Partition	Dwarf Wall
4 x 2	Easygrow	670	1346	1504	1830	1590	1500 x 600 Ex Base	●	SD - L	O - SB	○	1	○	○	○			○
6 x 2	Easygrow	670	1964	2067	Ex Base	Ex Base	1500 x 1200 Double	●			○	1	○	○	○			○
8 x 2	Easygrow	670	2582	2638							○	1	○	○	○			○
6 x 4	Windsor	1297	1960	2349	2010	1590	1600 x 600 Ex Base	●	SD - W	O - SB	○	1	○	○	○			○
8 x 4	Windsor	1297	2578	2885	Ex Base	Ex Base		●			○	1	○	○	○			○
10 x 4	Windsor	1297	3196	3448				●			○	1	○	○	○			○
12 x 4	Windsor	1297	3814	4028				●			○	1	○	○	○			○
6 x 4	Kensington	1297	1960	2349	2235	1800	Single 1750 x 600 Double 1750 x 1200 Ex Base	●	SD-LW	O - SB	○	1	1	4' Extruded Shelf	○			○
8 x 4	Kensington	1297	2578	2885	Ex Base	Ex Base		●			○	1	1		○			○
10 x 4	Kensington	1297	3196	3448				●			○	1	1		○			○
12 x 4	Kensington	1297	3814	4028				●			○	1	1		○			○
6 x 6	Kensington	1915	1960	2740	2400	1800	Single 1750 x 600 Double 1750 x 1200 Ex Base	●	SD-LW	O - SB	○	1	1	6' Extruded Shelf	○		○	○
8 x 6	Kensington	1915	2578	3211	Ex Base	Ex Base		●			○	1	1		○		○	○
10 x 6	Kensington	1915	3196	3725				●			○	1	1		○		○	○
12 x 6	Kensington	1915	3814	4267				●			○	1	1		○		○	○
6 x 8	Titan K800	2534	1991	3223	2743	1950	Double 1910 x 1150 Ex Base	●	Double Door	Gable Double Doors	No Base required	1	1	8' Diamond Shelf	○		○	○
8 x 8	Titan K800	2534	2609	3637	Ex Base	Ex Base		●			○	1	1		○		○	○
10 x 8	Titan K800	2534	3227	4103				●			○	1	1		○		○	○
12 x 8	Titan K800	2534	3845	4605				●			○	1	1		○		○	○
14 x 8	Titan K800	2534	4463	5132				●			○	2	1		○		○	○
16 x 8	Titan K800	2534	5081	5678				●			○	2	1		○		○	○
18 x 8	Titan K800	2534	5699	6237				●			○	3	1		○		○	○
20 x 8	Titan K800	2534	6319	6809				●			○	3	1		○		○	○
6 x 8	Titan K800	2569	1954	3228	2743	1950	Double 1910 x 1150 Ex Base	●	Double Door	Front Double Doors	No Base required	1	1	8' Diamond Shelf	○		○	○
8 x 8	Titan K800	2569	2572	3635	Ex Base	Ex Base		●			○	1	1		○		○	○
10 x 8	Titan K800	2569	3190	4096				●			○	1	1		○		○	○
12 x 8	Titan K800	2569	3808	4594				●			○	1	1		○		○	○
14 x 8	Titan K800	2569	4426	5118				●			○	2	1		○		○	○
16 x 8	Titan K800	2569	5044	5661				●			○	2	1		○		○	○
18 x 8	Titan K800	2569	5662	6218				●			○	3	1		○		○	○
20 x 8	Titan K800	2569	6280	6758				●			○	3	1		○		○	○

COLD FRAME



- A 1'6" (460mm)
- B 4'4 1/4" (1340mm) or 6'7" (2000mm)
- C 2'1 1/4" (640mm)
- D 1'8 1/2" (520)

WINDOW GARDEN



- A 5'1 1/2" (1560mm)
- B 1'5 1/2" (440mm)
- C 4' (1210mm)
- D 1'7" (480mm)

DOOR

Height x Width
3'8 1/2" x 11" (1130 x 280mm)
Length
3'10" (1170mm)



Thank you

We would like to thank you for your interest in our products. When we first started making greenhouses, the only option was to talk to customers. Times have changed and so these days, you can chat to us online, find any information you need, locate your nearest retailer or watch helpful videos on our website, drop us an email anytime, or of course, talk to us the good old-fashioned way, on the telephone number we have always been on. As always, we are here to help you every step of the way.



Our Factory in Bolton



01204 791488

enquiries@elite-greenhouses.co.uk | www.elite-greenhouses.co.uk